COATS & CLARK'S BOOK No. 162 29¢

Afghan-Stitch Designs

Featuring RED HEART Yarns

HOW TO MAKE AFGHAN STITCH . . .

One reason for the great popularity of afghan stitch is that it is so easy to work. Basic afghan stitch consists of only one pattern row, worked in two halves—first a loop is picked up in each stitch across the row, then the loops are worked off two at a time. Below are step-by-step instructions that any beginner can follow to learn this attractive stitch.

Make a foundation chain of desired number of stitches. **1st row** — *First Half of Row:* Retaining all loops on hook, draw up a loop in 2nd ch from hook and in each ch across (Fig. 1). **There are the same number of loops on hook as there were chain sts.** *Second Half of Row:* Yarn over and draw through 1 loop, * yarn over and draw through 2 loops. Repeat from * across (Fig. 2). **The loop which remains on hook always counts as the first loop of next row (Fig. 3). 2nd row**—*First Half of Row:* Retaining all loops on hook, draw up a loop in 2nd vertical bar (formed by loop of previous row) and in each vertical bar across to within last vertical bar (Fig. 4); **insert hook through last vertical bar and the st directly behind it (arrow on Fig. 4) and draw up a loop (this gives a firm edge to this side).** There are the same number of loops on hook as on first row. *Second Half of Row:* Yarn over and draw through 1 loop, * yarn over and draw through 2 loops. Repeat from * across. Repeat 2nd row for pattern.

FIGURE 1

FIGURE 2

FIGURE 3



FIGURE 4

DIAGRAM FOR MAKING
CROSS STITCHES OVER AFGHAN STITCH

NOTE: It is vital to obtain the correct gauge when making a garment, otherwise it will not fit. Always make a swatch in the pattern stitch before starting garment.

COATS & CLARK'S Zippers • "O.N.T." Threads • "Red Heart" Yarns
Distributed by Coats & Clark's Sales Corp., 430 Park Ave., New York, N. Y. 10022
Copyright 1965, Coats & Clark Inc.
Third Edition—1266 Printed in U.S.A.

B-516

Raglan Coat

This pattern stitch is formed by using knit and purl afghan stitches . . . do not attempt to make the coat until you have practiced the stitch, and are familiar with it.

SKIRT B-517 . . . directions on page 5

Directions are given for Small Size. Changes for Medium and Large Sizes are in parentheses.

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 42 (46, 50) ounces of No. 410 Powder Blue.

Afghan Hook Size J, 14-inch length.

GAUGE: 15 sts = 4 inches;
7 rows = 2 inches.

BLOCKING MEASUREMENTS:

Sizes	Small (10-12)	Medium (14-16)	Large (18-20)
Body Bust Size (In Inches)	30-32	34-36	38-40
Actual Crocheting Measurements			
Bust	43	47	51
Width across back at underarm	21	23	25
Width across each front at underarm	11	12	13
Length from center back of neck to lower edge	41	41½	42½
Length of side seam	31	31	31
Length of sleeve seam	13	13½	14
Width across sleeve at upper arm	16	17½	19

BACK . . . Starting at lower edge, ch 78 (85, 92) to measure 21 (23, 25) inches. Work in Afghan Stitch (see page 2) until 10 rows have been completed for border. Now work in afghan moss st pattern as follows: **1st row—First Half of Row:** Retaining all loops on hook, skip first vertical bar, * *insert hook through center of next st below the chain and draw a loop through (Fig. 5 on page 34)*—**afghan knit st made**; *bring yarn forward and hold in front of work, insert hook under next vertical bar and draw loop through (Fig. 6 on page 34)*—**afghan purl st made.** Repeat from * across to within last vertical bar, draw up a loop in last bar as before.

Continued on page 4

Raglan Coat

B-516 *Continued from page 3*

Second Half of Row: Repeat Second Half of first afghan stitch row.

Hereafter, only the First Half of each row is given. Work Second Half of each row as for Second Half of first row of afghan stitch border.

2nd row—First Half: Skip first bar, * p 1, k 1. Repeat from * across, ending as on previous row. Repeat first and 2nd rows alternately until total length is 31 inches.

Armhole Shaping: 1st row—First Half: *Skip first bar, sl st loosely in next 4 (4, 5) bars* **—4 (4, 5) sts bound off at beg of row;** keeping continuity of pattern, work across to within last 4 (4, 5) bars, *do not work in these bars*—**4 (4, 5) sts bound off at end of row.** There are 70 (77, 82) loops on hook. **2nd row—First Half:** Work across in pattern. **3rd row—First Half:** *Insert hook under 2nd and 3rd bars and draw one loop through*—**1 loop decreased at beg of row;** continue in pattern across to within last 3 bars, insert hook under next 2 bars and draw one loop through—1 loop decreased at end of row; draw up a loop in last bar as before. There are 2 loops less on hook than on last row. Repeat last 2 rows 7 (8, 10) times more. Now dec 1 loop at both ends on First Half of every row until 22 (25, 26) loops remain on hook. Complete Second Half of row. Break off and fasten.

RIGHT FRONT . . . Starting at lower edge, ch 42 (45, 48) to measure 11 (12, 13) inches. Work same as for Back until border is completed. Now work as follows: Work first 10 sts (including the first loop on hook) in afghan stitch for front border, work across remaining 32 (35, 38) sts in afghan moss st pattern until total length is 31 inches.

Armhole Shaping: 1st row—First Half: Working first 10 sts (front border) in afghan stitch and remaining sts in afghan moss st, work across to within last 4 (4, 5) bars —do not work in these bars. **2nd row—First Half:** Work across without decreasing. **3rd row—First Half:** Work across, decreasing one loop at end of row. Repeat last 2 rows 7 (8, 10) times more. Now dec one loop at end of First Half of every row until 14 (15, 15) loops remain on hook. Complete Second Half of row. Break off and fasten.

LEFT FRONT . . . Work same as for Right Front until lower border is completed. **Next row—First Half:** Work in afghan moss st pattern to within last 10 bars, work across these 10 bars in afghan stitch for front border. Complete as for Right Front, reversing armhole shaping.

SLEEVES . . . Starting at lower edge ch 46 (50, 53) to measure 12 (13, 14) inches. Work in afghan stitch for 10 rows. **Next row—First Half:** Work afghan moss st across. **Following row—First Half:** *Draw up a loop in the chain st preceding 2nd bar*—**1 loop increased at beg of row;** keeping continuity of afghan moss st pattern, work across to within last bar, draw up a loop in the chain st preceding last bar—1 loop increased at end of row; draw up a loop in last bar. There are 2 loops more on hook than on previous row. Keeping continuity of pattern, work 4 (3, 3) rows without increasing. Repeat last 5 (4, 4) rows until there are 60 (66, 71) loops on hook on First Half of row. Work even until total length of sleeve is 13 (13½, 14) inches.

Top Shaping: Work same as for Back Armhole Shaping until 4 (6, 5) loops remain on hook. Complete Second Half of row. Break off and fasten.

UNDER COLLAR . . . Sew raglan edges of sleeves to raglan armhole edges of Back and Fronts. **1st row—First Half:** With right side facing, attach yarn to first bar on last row of Right Front; draw up a loop in each of 13 (14, 14) bars on Right Front; draw up a loop in each of 2 (4, 3) bars on Right Sleeve; draw up a loop in each of 20 (23, 24) bars on Back; draw up a loop in each of 2 (4, 3) bars on Left Sleeve; draw up a loop in each of 13 (14, 14) bars on Left Front. There are 50 (59, 58) loops on hook. Work 1 row in afghan stitch. **Next row—First Half:** Work in afghan stitch until there are 10 loops on hook, inc 14 (10, 12) loops evenly spaced across next 30 (39, 38) bars, work across remaining 10 bars as before. Work in afghan stitch across these 64 (69, 70) sts

Continued on page 6

B-517 *Straight Skirt* basic afghan stitch

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins):

Sizes	10	12	14	16	18
No. 410 Powder Blue					
Ounces	12	14	15	17	18

COATS & CLARK'S SKIRT OR NECK ZIPPER: 7-inch length.

Afghan Hook Size J.

2 snap fasteners.

1 yard belting.

GAUGE: 7 sts = 2 inches;
3 rows = 1 inch.

BLOCKING MEASUREMENTS:

Sizes	10	12	14	16	18
Body Waist Size (In Inches)	23	24	26	28	30
Hips	33	34	36	38	40

Actual Crocheting Measurements

Width around upper edge (below waistband) 25 26 28 30 32

Width across back or front at hips (9 inches below waist) 17½ 18½ 19½ 20½ 21½

Width around lower edge 35 37 39 41 43

Length from waist to lower edge (excluding waistband) 25 25½ 26 27 27½

BACK . . . Starting at lower edge, ch
Stitches 61 65 68 72 76
to measure
Inches 17½ 18½ 19½ 20½ 21½
Work in Afghan Stitch (see page 2) until total length is
Inches 16 16½ 17 18 18½
or 9 inches less than desired length.

To Shape Darts: Place 2 colored threads for markers on last row, having each one between 2 vertical bars
Inches 5 5½ 6 6½ 7
in from each side edge. Carry markers up on following rows, keeping in line with previous row. **Dec Row—First Half of Row:** Skip first vertical bar, * draw up a loop in each bar to within 2 bars before next marker, *(insert hook under next 2 bars and draw up a loop—***1 loop decreased)** twice. Repeat from * once more, draw up a loop in each remaining bar. There are 4 loops less than on previous row. **Second Half of Row:** Repeat Second Half of previous row. Continuing to work in afghan stitch, dec 1 loop before and after each marker on every
Row 6th 6th 5th 5th 5th
4 times more. **For Sizes 14, 16 and 18 only:** Work 4 rows even. **Next row:** Working in afghan stitch, dec 1 loop before first marker and 1 loop after second marker on First Half of row. **For All Sizes:** If necessary, work even until total length is
Inches 25 25½ 26 27 27½
Break off and fasten.

FRONT . . . Work same as Back until first Dec Row has been completed. Work 7 rows without decreasing. **Next row—First Half:** Dec 4 loops as before. Complete Second Half of row. Repeat last 8 rows twice more. Work even until total length is same as Back. Break off and fasten.

WAISTBAND . . . Starting at narrow end, ch 5. Work in afghan stitch for
Inches 24 25 27 29 31
or 1 inch longer than desired waist measurement. Break off and fasten.

Block to measurements. Sew side seams, leaving 7 inches free at upper left seam for zipper opening. With right side facing, sc closely around zipper opening. Sew in zipper. Sew waistband to top of skirt, having 1 inch extending beyond back edge and holding skirt in to fit. Sew belting to wrong side of waistband. Close waistband with snap fasteners. With right side facing and being careful to keep work flat, sc around lower edge of skirt. Join with a sl st to first sc. Break off and fasten.

B-518 *Child's Slipper-Boots* basic afghan stitch

Directions are given for Small Size (5½ inches long). Changes for Medium Size (6½ inches long) and Large Size (7½ inches long) are in parentheses.

COATS & CLARK'S "RED HEART" SAYELLE,* 4 Ply (1 oz. "Tangle-Proof" Pull-Out Skeins): 2 ounces of No. 676 Emerald; a few yards of contrasting color for edging.

Afghan Hook Size H.

GAUGE: 9 sts = 2 inches;
4 rows = 1 inch.

Starting at center back, ch 36 (40, 44) to measure 8 (9, 10) inches. **1st row:** Work first row of Afghan Stitch (see page 2). **2nd row—First Half of Row:** Retaining all loops on hook, draw up a loop in 2nd vertical bar (formed by loop of previous row) and in each of next 14 (16, 18) vertical bars; *draw up a loop in the chain st between last vertical bar used and next vertical bar*—**1 loop increased;** draw up a loop in next 4 vertical bars, inc 1 loop as before, draw up a loop in next 15 (17, 19) vertical bars, insert hook through last vertical bar and the st directly behind it (arrow on Fig. 4 on page 2) and draw up a loop (this gives a firm edge to this side) —38 (42, 46) loops on hook. Place a marker in the bar preceding the first increase and in the bar following the second increase. **Second Half of Row:** Repeat Second Half of first row.

Hereafter, only the First Half of each row is given. Work Second Half of each row as for Second Half of first row.

3rd row—First Half: Retaining all loops on hook and increasing 1 loop following first marked bar and 1 loop preceding second marked bar, draw up a loop in 2nd bar and in each bar across. There are 2 loops more on hook than on last row. **For Medium and Large Sizes Only: Next row—First Half:** Draw up a loop in 2nd bar and in each of next 16 (18) bars, inc 1 loop, draw up a loop in next 8 bars,

Continued on page 7

Raglan Coat **B-516** *Continued from page 4*

for 15 rows. Complete Second Half of last row. **Following row:** Sl st in 2nd bar and in each bar across. Break off and fasten.

UPPER COLLAR . . . Starting at outer edge, ch 66 (71, 72) sts. Work in afghan stitch for 16 rows. **Next row—First Half:** Work in afghan stitch until there are 11 loops on hook, dec 10 loops evenly spaced across next 44 (49, 50) bars, work across remaining 11 bars. Work afghan stitch over these 56 (61, 62) sts for 2 rows.

To Shape Neck: 1st row—First Half: Work across until there are 15 (16, 17) loops on hook. Work across these sts only for 2 rows. **Next row—First Half:** Work across, decreasing 1 loop at end of row. Repeat last 3 rows until 3 (4, 4) sts remain. Complete Second Half of last row. **Following row:** Sl st in 2nd bar and in each bar across. Break off and fasten.

Attach yarn to next free bar on 19th row of Collar, sl st in next 37 (40, 39) bars, draw up a loop in next 14 (15, 16) bars. Work afghan stitch across these 15 (16, 17) sts, decreasing 1 loop at beg of every 3rd row until 3 (4, 4) sts remain. Work even until same number of rows are completed as for opposite side of neck shaping, ending with sl st row. Break off and fasten.

Block to measurements. Sew side and sleeve seams. With right side facing and being careful to keep work flat, sl st along the left front edge, along the lower edge and along the right front edge. Starting at the seam, sc around lower edge of sleeves. Join with sl st to first sc. Break off and fasten. With wrong sides together, sew entire outer edge of upper collar to corresponding edges of under collar and front borders. Sew neck edge of collar in place.

 * *Du Pont's certification mark for yarns meeting its fiber content specifications*



B-518 *Continued from page 6*

inc 1 loop, draw up a loop in remaining 18 (20) bars. **For All Sizes:** Work 3 (4, 5) rows even. **Following row—First Half:** Draw up a loop in 2nd bar and in next 13 (15, 17) bars, *insert hook under next 2 bars and draw one loop through*—**1 loop decreased;** draw up a loop in next 6 (8, 8) bars, dec 1 loop over next 2 bars, draw up a loop in each of remaining 15 (17, 19) bars. Work 1 row even. **Next row—First Half:** Draw up a loop in 2nd bar and in next 13 (15, 17) bars, dec 1 loop as before, draw up a loop in next 4 (6, 6) bars, dec 1 loop, draw up a loop in each of remaining 15 (17, 19) bars. Work 1 row even. **Following row—First Half:** *Skip first bar, dec 1 loop over next 2 bars*—**a dec made at beg of row;** draw up a loop in each bar across to within last 3 bars, dec 1 loop over next 2 bars, draw up a loop in next bar as before—a dec made at end of row. Repeat last row 1 (2, 3) times more. **Next row—First Half:** Skip first bar, dec 1 loop, draw up a loop in next 11 (12, 13) bars, inc 1 loop, draw up a loop in next 4 (6, 6) bars, inc 1 loop, draw up a loop in next 11 (12, 13) bars, dec 1 loop, draw up a loop in next bar.

Place a marker in the bar preceding first inc and in the bar following second inc. **Following row—First Half:** Decreasing 1 loop at both ends, work across; AT THE SAME TIME inc 1 loop following the bar in line with first marked bar and 1 loop preceding the bar in line with second marked bar. Repeat last row until there are 12 (12, 14) bars between the bars in line with the markers. Remove markers. Work 1 row even. **For Medium and Large Sizes Only: Next row—First Half:** Decreasing 1 loop at both ends, work across. There are 32 (34, 36) loops on hook on First Half of row. **For All Sizes:** Mark each end st of last row. Work 2 (1, 2) rows even. **For Medium Size Only: Next row—First Half:** Decreasing 1 loop at both ends, work across—32 loops on hook. **For All Sizes:** On last row, place a marker in the chain st following the 8th

Continued on page 17

B-519 *Hood and Mittens*

basic afghan stitch . . . loop stitch trim

Directions are given for Small Size. Changes for Medium and Large Sizes are in parentheses.

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 8 ounces of No. 757 Wild Rose.

Afghan Hook Size H.

3 small buttons.

Hood—Head Size: 21 (22, 23) inches.

Mittens—Measurement Around Palm: 6 (7, 8) inches.

GAUGE: 9 sc = 2 inches;
7 sc rows = 2 inches.

Afghan Stitch: 9 sts = 2 inches;
4 rows = 1 inch.

HOOD

NECKBAND . . . Starting at narrow end, ch 12 to measure 2¾ inches. **1st row:** Sc in 2nd ch from hook, sc in next 10 ch—11 sc. Ch 1, turn. **2nd row:** Working in **back** loop only of each sc, sc in first sc, (ch 1, skip next sc, sc in next 3 sc) twice; ch 1, skip next sc, sc in last sc—3 buttonholes made. Ch 1, turn. **3rd row:** Working in **back** loops only, sc in each st across—11 sc. Ch 1, turn. Repeat 3rd row until total length is 13 (14, 15) inches. Break off and fasten.

LOWER PART . . . Place a pin 2½ (2½, 3) inches in from buttonhole end; place another pin ½ inch in from opposite end. Having buttonhole end on the right-hand side, attach yarn to long edge (top edge) in line with pin. **1st row—First Half of Row:** Retaining all loops on hook, draw up 60 (64, 68) loops evenly spaced between pins, along top edge of Neckband (for method see Fig. 1 on page 2). **Second Half of Row:** Yarn over and draw through 1 loop, * yarn over and draw through 2 loops. Repeat from * across (Fig. 2 on page 2). *The loop which remains on hook always counts as the first loop of next row (Fig. 3 on page 2).* **2nd row:** Work 2nd row of Afghan Stitch on page 2. There are 60 (64, 68) loops on hook on First Half of row. Repeat 2nd row for pattern. Work in pattern until length from top of Neckband is 6 (6½, 7) inches. Break off and fasten.

TOP-OF-HEAD PART . . . 1st row—First Half: Attach yarn in the chain between the 21st (22nd, 23rd) and next vertical bar on last row, draw up a loop in each of next 18 (20, 22) vertical bars. **Second Half:** Work as before. Work over these 18 (20, 22) sts only until side edges of this part are same length as remaining top edges of lower part. Break off and fasten. Sew side edges of Top-of-Head Part to corresponding edges of Lower Part.

CUFF . . . With wrong side facing, attach yarn where Lower Part joins Neckband. **1st row:** Ch 1, sc in the end st of each row across to seam, sc in each st across to next seam, sc in the end st of each row across to Neckband. Ch 1, turn. Cut a piece of cardboard 1 x 3 inches. **2nd row:** Holding cardboard behind work, * *pass yarn over and around the narrow width of cardboard, then sc in front loop of next sc*—**loop st made.** Repeat from * across. Ch 1, turn. **3rd row:** Sc through **both** loops of each st across. Ch 1, turn. **4th row:** Loop st through **both** loops of each sc across. Ch 1, turn. Repeat 3rd and 4th rows 3 times more; then repeat 3rd row once more. Break off and fasten.

Sew on buttons. Work buttonhole stitch around buttonholes. Turn cuff back and sew side edges to top of neckband.

MITTENS

WRISTBAND . . . Starting at narrow end ch 10 (12, 14). **1st row:** Sc in 2nd ch from hook, sc in each ch across—9 (11, 13) sc. Ch 1, turn. **2nd row:** Working in **back** loops only, sc in each sc across. Repeat

Continued on page 9



B-519 *Continued from page 8*

2nd row until 20 (22, 24) rows in all are completed; piece should measure 6 (6½, 7) inches. Do not break off but work as follows:

HAND . . . 1st row—First Half: Retaining all loops on hook, draw up 26 (30, 34) loops evenly spaced along long edge of wristband—27 (31, 35) loops on hook (for method see Fig. 1 on page 2). **Second Half:** Yarn over and draw through 1 loop, * yarn over and draw through 2 loops. Repeat from * across.

Hereafter, only the First Half of each row is given. Work Second Half of each row as for Second Half of First Row of Hand.

THUMB GORE . . . 1st row—First Half: Draw up a loop in 2nd vertical bar and in next 11 (13, 15) vertical bars—13 (15, 17) loops on hook; *insert hook in chain between last vertical bar used and next vertical bar and draw loop through*—**1 loop increased;** draw up a loop in next vertical bar, inc 1 loop between last and next vertical bar, draw up a loop in remaining 13 (15, 17) vertical bars. **2nd row—First Half:** Draw up a loop in 2nd bar and in each bar across. There are the same number of loops as on First Half of last row. **3rd row—First Half:** Draw up a loop in 2nd bar and in next 11 (13, 15) bars, inc one loop, draw up a loop in each bar to within last 13 (15, 17) bars, inc one loop, draw up a loop in next 13 (15, 17) bars—2 loops increased. Repeat 2nd and 3rd rows alternately until there are 35 (41, 47) loops on hook on First Half of row. Complete Second Half of row. Break off and fasten.

THUMB . . . 1st row—First Half: Ch 2, draw up a loop in 2nd ch from hook, skip first 13 (15, 17) bars on Hand, draw up a loop in each of next 9 (11, 13) bars of Thumb Gore—11 (13, 15) loops on hook for

Continued on page 15

B-520 *Baby Set*

. . . basic afghan stitch, eyelet stitch trim . . . while working the eyelet stitch stripe, the work will appear to go off on the diagonal; this will be taken care of by border and by blocking.

Directions are given for Infant Size (6 months). Changes for Sizes 1 and 2 are in parentheses.

COATS & CLARK'S "RED HEART" SUPER FINGERING, 3 Ply (1 oz. "Tangle-Proof" Pull-Out Skeins): 6 (6, 7) skeins of No. 678 Peppermint.

Afghan Hook Size G, 14-inch length.

5 yards of ribbon, ⅜ inch wide.

GAUGE: Afghan Stitch:
6 sts = 1 inch;
9 rows = 2 inches.

BLOCKING MEASUREMENTS:

Sizes	6 months	1	2
Chest (In Inches)	20	21½	23
Length from back of neck to lower edge (including border)	10½	11½	12½
Length of sleeve seam (including border)	7	7½	8
Width of sleeve at upper arm	7¼	7¾	8¾

SACQUE

YOKE . . . Starting at neck edge, ch 63 (67, 71) to measure 10½ (11¼, 11¾) inches. **1st row:** Work first row of Afghan Stitch on page 2. **2nd row—First Half of Row:** Retaining all loops on hook, draw up a loop in 2nd vertical bar (formed by loop of previous row) and in each of the next 7 (9, 9) vertical bars (Fig. 4 on page 2) –9, (11, 11) loops on hook for Front; *draw up a loop in the chain st between last vertical bar used and next vertical bar*—**1 loop increased;** draw up a loop in next vertical bar for seam st; inc 1 loop in next chain st, draw up a loop in each of next 8 (8, 9) vertical bars for Sleeve; inc 1 loop in next chain st, draw up a loop in next vertical bar for seam st; inc 1 loop in next chain st, draw up a loop in each of next 25 (25, 27) vertical bars for Back; inc 1 loop in next chain st, draw up a loop in next vertical bar for seam st; inc 1 loop in next chain st, draw up a loop in each of next 8 (8, 9) vertical bars for Sleeve; inc 1 loop in next chain st, draw up a loop in next vertical bar for seam st; for Front, inc 1 loop in next chain st, draw up a loop in each of next 8 (10, 10) vertical bars, *insert hook through last vertical bar and the st directly behind it (arrow on Fig. 4 on page 2) and draw up a loop (this gives a firm edge to this side).* There are 71 (75, 79) loops on hook. **Second Half of Row:** Yarn over and draw through 1 loop, * yarn over and draw through 2 loops. Repeat from * across.

Hereafter, only the First Half of each row is given. Work Second Half of each row as for Second Half of 2nd row unless otherwise stated.

3rd row—First Half: Skip first bar, (draw up a loop in each bar to within next seam st, inc 1 loop, draw up a loop in seam st bar, inc 1 loop) 4 times; draw up a loop in each bar across to within last bar, draw up last loop as before. There are 79 (83, 87) loops on hook. Repeat 3rd row until there are 199 (219, 239) loops on hook. **Next 2 rows—First Half:** Draw up a loop in 2nd bar and in each bar across. At end of last row, break off and fasten.

LEFT SLEEVE . . . 1st row—First Half: Skip the first 27 (31, 33) bars of left front, attach yarn to next bar, draw up a loop in same bar; retaining all loops on hook, draw up a loop in each of next 42 (45, 51) bars.

Continued on page 11

B-520 *Continued from page 10*

Work even in afghan stitch over these 43 (46, 52) sts for 6 inches, decreasing 1 loop on First Half of last row *on Sizes 2 and 3 only;* **(to dec 1 loop—insert hook under 2 bars and draw up one loop).** There are 43 (45, 51) loops on hook on First Half of last row.

Border: 1st row—First Half: Retaining all loops on hook, skip first bar, * yarn over, insert hook under next 2 bars and draw up one loop. Repeat from * across. **Second Half:** Counting each yarn over as 1 loop, work Second Half of row as before. **2nd row—First Half:** Retaining all loops on hook, draw up a loop in 2nd bar, * draw up a loop in next sp, draw up a loop in next bar. Repeat from * across. **3rd row—First Half:** Skip first bar, * *ch 3, insert hook under next 2 bars, yarn over and draw through the 2 bars and the loop on hook*—**picot made.** Repeat from * across

Continued on page 12

B-520 *Continued from page 11*

to within last bar, ch 3, insert hook as before in last bar, yarn over and draw through last bar and loop on hook. Break off and fasten at end of Second Half of row.

RIGHT SLEEVE . . . 1st row—First Half: Skip next 59 (65, 69) bars, attach yarn to next bar, draw up a loop in same bar and in each of next 42 (45, 51) bars—43 (46, 52) loops on hook. Complete same as Left Sleeve.

BODY . . . Next row—First Half: Starting at left front edge, attach yarn to first bar; draw up a loop in first bar and in next 26 (30, 32) bars of Left Front; draw up a loop in next 59 (65, 69) bars of Back; draw up a loop in next 27 (31, 33) bars of Right Front. There are 113 (127, 135) loops on hook.

Now work in Eyelet pattern as follows: 1st row—First Half: Draw up a loop in 2nd bar, * yarn over, insert hook under next 2 bars and draw up one loop. Repeat from * across to within last bar, draw up last loop as before. **Second Half:** Counting each yarn over as 1 loop, work Second Half of row as before. **2nd row—First Half:** Draw up a loop in 2nd bar, * draw up a loop in next sp, draw up a loop in next bar. Repeat from * across to within last bar, draw up last loop as before. **3rd row—First Half:** Skip first bar, * yarn over, insert hook under next 2 bars and draw up one loop. Repeat from * across. **Second Half:** Counting each yarn over as 1 loop, work Second Half of row as before. **4th row—First Half:** * Draw up a loop in next sp, draw up a loop in next bar. Repeat from * across. Repeat last 4 rows of Eyelet pattern once more.

Work even in afghan stitch until length is 5½ (6, 6½) inches from underarm. **Next 2 rows:** Repeat first and 2nd rows of Eyelet pattern. Break off and fasten.

Right Front Border: With right side facing, attach yarn to corner at lower Right Front edge; **picking up the back loop only of each end st,** work across right front edge as follows: **1st row—First Half:** Retaining all loops on hook, draw up a loop in each of the first 1 (2, 3) end sts, * yarn over, draw up a loop in each of next 3 end sts. Repeat from * across to within last 1 (2, 0) end sts; yarn over, draw up a loop in each of the last 1 (2, 0) end sts. **Second Half:** Counting each yarn over as 1 loop, work Second Half of row as before. Break off and fasten.

Left Front Border: With right side facing, attach yarn at neck edge of Left Front; starting at neck edge, work across Left Front edge as for Right Front Border. Do not break yarn.

Now work across left front, lower and right front edges as follows: Work as for 3rd row of Sleeve Border from neck edge to corner at lower edge; ch 3, draw up a loop in first bar of lower edge, then work as for 3rd row of Sleeve Border across to right front edge; ch 3, draw up a loop in first bar of right front edge, and work across right front edge as for opposite edge. Break off and fasten.

Neck Border: 1st row—First Half: With right side facing, attach yarn to right corner of neck edge; retaining all loops on hook, draw up a loop in end st of right front border, draw up a loop in each bar of first row of Yoke, draw up a loop in end st of left front border. There are 65 (69, 73) loops on hook. **Next 2 rows:** Repeat first and 2nd rows of Eyelet pattern. **Following row:** Repeat 3rd row of Sleeve Border. Break off and fasten.

Block to measurements. Sew sleeve seams. Lace ribbon through eyelets of neck and sleeve borders and tie in a bow.

BONNET

BACK . . . Starting at lower edge, ch 13 (15, 17) to measure 2¼ (2½, 2¾) inches. **1st, 2nd and 3rd rows:** Work even in afghan stitch. **4th row—First Half:** Skip first bar, inc 1 loop in chain st between the first and 2nd bars, draw up a loop in each bar across to within last bar, inc 1 loop in next chain st, draw up a loop in last bar. Repeat last 4 rows twice more—19 (21, 23) loops on hook on First Half of last row. Work even in afghan stitch until total length is 4 (4¼, 4½) inches. Break off and fasten.

SIDE . . . With right side facing, attach yarn to end st of last row at left corner

Continued on page 13

B-520 *Continued from page 12*

of Back; ch 24 (25, 27). Break off and fasten. **1st row—First Half:** Ch 24 (25, 27); retaining all loops on hook, draw up a loop in 2nd ch from hook and in each ch across, then draw up a loop in each bar across Back and in each remaining ch. There are 67 (71, 77) loops on hook. Continue in afghan stitch until Side measures 4 (4½, 5) inches. **Next row:** Skip first bar, sl st loosely in each remaining bar across. Ch 1, turn.

CUFF . . . 1st row—First Half: Draw up a loop in top loop only of each sl st across—67 (71, 77) loops on hook. **Next 8 rows:** Work the 8 rows of Eyelet pattern of Sacque. **Last row:** Repeat 3rd row of Sleeve Border. Break off and fasten. Sew side seams. Turn cuff back at face edge and pin in place.

NECKBAND . . . 1st row—First Half: With right side facing and working through both thicknesses at each end of neckband, draw up 61 (67, 83) loops evenly across neck edge. **Next 2 rows:** Repeat first and 2nd rows of Eyelet pattern. **Following row:** Repeat 3rd row of Sleeve Border. Break off and fasten.

Press through damp cloth. Lace ribbon through sps of neckband and tie in a bow. Make 2 rosettes and sew one to each side.

BOOTEES

TOP . . . Starting at lower edge, ch 63, having 6 ch to 1 inch. **1st row—First Half:** Retaining all loops on hook, draw up a loop in 2nd ch from hook and in each ch across—63 loops on hook. **Second Half:** Yarn over and draw through 1 loop, * yarn over and draw through 2 loops. Repeat from * across until there remain 18 loops on hook, counting last loop made as first loop of next row. **Do not work in remaining 17 loops. 2nd row—First Half:** Retaining all loops on hook, draw up a loop in 2nd bar and in next 7 bars, *insert hook under next 2 bars and draw up one loop*—**1 loop decreased;** place a colored thread for marker between last bar used and next bar, draw up a loop in each of next 7 bars, place a colored thread for marker between last bar used and next bar, dec one loop over next 2 bars, draw up a loop in each of next 9 bars. **Do not work over remaining bars. Second Half:** Yarn over and draw through 1 loop, * yarn over and draw through 2 loops. Repeat from * across until there remain 9 loops on hook, counting last loop made as first loop of next row. **Do not work in remaining 8 loops. NOTE:** *Carry markers up between bars on each row.* **3rd row—First Half:** Retaining all loops on hook, draw up a loop in 2nd bar and in each bar across to within 2 bars before first marker, dec one loop as before, draw up a loop in next 7 bars, dec one loop, draw up a loop in next 8 bars and in 9 bars of first row. **Do not work in remaining bars. Second Half:** Yarn over and draw through 1 loop, * yarn over and draw through 2 loops. Repeat from * across all loops on hook. **4th row—First Half:** Decreasing 1 loop before first marker and 1 loop after 2nd marker, draw up a loop in each bar across, draw up a loop in next 8 bars of first row. **Second Half:** Repeat Second Half of 3rd row. **5th row—First Half:** Decreasing 1 loop before first marker and 1 loop after 2nd marker, draw up a loop in each bar across. **Second Half:** Repeat Second Half of 3rd row. Repeat 5th row until 43 loops remain on hook. At end of last row remove colored threads.

CUFF . . . With right side facing, work as for Cuff of Bonnet.

SOLE . . . Starting at toe, ch 8. Work in afghan stitch, increasing 1 loop on First Half of row at both ends of 2nd and every row thereafter 3 times in all—14 loops on hook. Work 4 rows even. **Dec Row—First Half:** Dec 1 loop over 2nd and 3rd bars, draw up a loop in each bar across to within last 3 bars, dec 1 loop over next 2 bars, draw up last loop. Work 4 rows even. **Following row:** Repeat Dec Row. Work even until total length is 4 inches. **Next row:** Repeat Dec Row. **Following row—First Half:** Work across, decreasing 3 loops evenly spaced. Complete Second Half. Break off and fasten.

Press lightly through damp cloth. Sew back seam. Pin Sole in place. Attach yarn at center back and working through both thicknesses, sl st around. Join. Break off and fasten. Lace ribbon through first row of spaces and tie in a bow.



B-521

Leon Lion

basic afghan stitch . . . loop stitch mane

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 3 ounces of No. 356 Taupe; ⅓ ounce of No. 360 Wood Brown; scraps of Black and Red.

A small piece each of green and black felt.

A piece of cardboard, ¾ x 3 inches.

Cotton batting or cut-up nylon stockings for stuffing.

Afghan Hook Size I.

Milwards Tapestry Needle No. 18.

GAUGE: 4 sts = 1 inch;
3 rows = 1 inch.

BODY—FIRST HALF . . . Starting at top of head with Taupe, ch 16. Work in Afghan Stitch (see page 2) over these 16 sts for 2 inches. At end of last row, drop loop from hook. With another strand of Taupe ch 28 for top of back. Break off and attach this chain to the last st at opposite end of the last row of head.

Hereafter, only the First Half of each row is given. Work Second Half of each row same as Second Half of first row.

Next row—First Half of Row: Put dropped loop back on hook, skip first bar, draw up a loop in each of the next 15 bars, draw up a loop in each of the next 28 ch —44 loops on hook. Work even over these 44 sts until piece measures 4 inches from top of head. **Following row—First Half:** Skip first bar, sl st loosely in each of the next 16 bars, draw up a loop in each of remaining 27 bars—28 loops on hook. Work even over these 28 sts until piece measures 3½ inches from top of back.

FIRST LEG . . . 1st row—First Half: Skip first bar, draw up a loop in each of the next 3 bars—4 loops on hook. Work even over these 4 sts until leg measures 2 inches. **Next row:** Skip first bar, sl st loosely in each of the next 3 bars. Break off and fasten.

SECOND LEG . . . Attach yarn to the last bar on the first row of the previous leg, sl st loosely in each of the next 4 bars of body. **1st row—First Half:** Draw up a loop in each of the next 3 bars—4 loops on hook. Complete leg same as First Leg.

THIRD LEG . . . Attach yarn to the last bar on the first row of the previous leg, sl st loosely in each of the next 7 bars of body. Starting with first row of Second Leg, complete Third Leg as before.

FOURTH LEG . . . Work same as Second Leg, only do not break off and fasten at end of last row. Work sc evenly around entire piece, increasing at corners if necessary to keep work flat. Break off and fasten.

Continued on page 15

B-521 *Continued from page 14*

BODY—SECOND HALF . . . Work same as First Half for 2 inches. At end of last row ch 28 for top of back. **Next row—First Half:** Draw up a loop in 2nd ch from hook, draw up a loop in each of the next 26 ch, draw up a loop in each of the next 16 bars—44 loops on hook. Work even over these 44 sts until piece measures 4 inches from top of head. **Following row—First Half:** Skip first bar, draw up a loop in each of the next 27 bars; do not work in remaining 16 bars. Work even over these 28 sts until piece measures 3½ inches from top of back. Work Legs same as for First Half of Body, including sc rnd. Break off and fasten.

TAIL . . . Cut 6 strands of Taupe, each 18 inches long. Twist these strands tightly, then double the twisted strands and twist in the opposite direction. Knot free end to prevent raveling.

Tassel: Cut 6 strands of Wood Brown, each 2½ inches long. Draw these strands through the folded end of the tail. Even up the strand ends and tie securely close to tail. Sew knotted end of tail to wrong side of one Body piece at end of back.

With wrong sides facing sew Body pieces together, catching both loops of each sc on each edge and leaving an opening for stuffing. Stuff evenly, keeping toy firm but flat. Sew edges of opening together.

MANE . . . Thread tapestry needle with Wood Brown and attach to left-hand corner of head. *Pass yarn around the ¾-inch width of cardboard and make a back stitch in same corner*—**loop made;** * working from left to right, pass yarn around cardboard and make a back stitch in edge ¼ inch away from last back stitch. Repeat from * all around head. Leaving ¼ inch free between rnds, make 2 more rnds of loops around head.

Cut eyes of green felt, pupils and nose of black felt, and sew them in place as shown. Embroider eyebrows, nose and whiskers with Black yarn and mouth with Red yarn, as shown.

Hood and Mittens

B-519 *Continued from page 9*

Thumb. Work over these sts only until Thumb measures 1¾ (2, 2¼) inches. **Next row—First Half:** Skip first bar, * *insert hook under next 2 bars and draw up one loop*—**1 loop decreased.** Repeat from * across. Complete Second Half of row. Break off, leaving a 12-inch length of yarn. Thread this yarn into a needle and draw last sts together; then sew thumb seam.

Attach yarn to beg of last row on Hand. **1st row—First Half:** Draw up a loop in first bar and in next 12 (14, 16) bars, draw up a loop in each of next 2 ch sts at base of Thumb, draw up a loop in next 13 (15, 17) bars on Hand—28 (32, 36) loops on hook. Work even over these sts until Hand measures 5½ (6, 6½) inches from wristband or until mitten, when tried on, reaches tip of little finger.

To Shape Tip: 1st row—First Half: Skip first bar, dec one loop over next 2 bars, draw up a loop in each of next 8 (10, 12) bars, dec 1 loop, place a colored thread between last st and next st and carry it up on following rows as a guide in making the center decs; draw up a loop in next 2 bars (2 center bars), dec 1 loop, draw up a loop in each of next 8 (10, 12) bars, dec 1 loop, work last loop as before—4 loops decreased. **2nd row—First Half:** Skip first bar, dec 1 loop, draw up a loop in each bar to within 2 bars before marker, dec 1 loop, move colored thread up, draw up a loop in each of 2 center bars, dec 1 loop, draw up a loop in each bar to within last 3 bars, dec 1 loop, work last loop as before. Repeat 2nd row until 12 (16, 20) loops remain. Complete Second Half of row. Break off and fasten.

CUFF . . . With wrong side facing, attach yarn to corner at long edge of wristband. **1st row:** Make 28 (30, 32) sc evenly spaced along long edge. Ch 1, turn. **Next 3 rows:** Repeat 2nd, 3rd and 4th rows of Cuff on Hood. Repeat 3rd and 4th rows 3 times more; then repeat 3rd row once more. Break off and fasten. Sew side seam. Turn up cuff.



▣ – CARDINAL
▣ – PADDY GREEN
▣ – LT. CORAL
▣ – DK. TURQUOISE
■ – LT. TURQUOISE
▣ – BLACK



CHART 2

CHART 1 EACH SQUARE OF CHART REPRESENTS A VERTICAL BAR

B-522

Paisley Afghan

basic afghan stitch . . .
embroidered with cross stitch

Shown in color on back cover

CREDIT: Chair courtesy of Luten-Clarey-Stern Inc., New York City.

Afghan measures 52 x 74 inches . . .
Each strip measures 10 x 72½ inches

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 65 ounces of No. 602 Dk. Gold, 6 ounces of No. 919 Cardinal, 4 ounces of No. 686 Paddy Green, 3 ounces of No. 12 Black, 2 ounces each of No. 512 Lt. Turquoise and No. 515 Dk. Turquoise and 1 ounce of No. 790 Lt. Coral.

Afghan Hook Size H.

Milwards Tapestry Needle No. 18.

GAUGE: 9 sts = 2 inches;
4 rows = 1 inch.

STRIP (Make 5) . . . With Dk. Gold, ch 45 to measure 10 inches. Work in Afghan Stitch (see page 2) for 291 rows. **Next row:** Ch 1, sc in first vertical bar and in each vertical bar across. Break off and fasten. Block to measurements.

EMBROIDERY . . . First Strip (Make 3): Mark the 9th vertical bar on 4th row at lower left-hand corner with a pin for starting point ◆ on chart 1 on page 16. Starting at A, and making the cross sts over vertical bars (see diagram on page 2), follow chart from A to C once, from B to C twice, then from B to D once, working colors as indicated by symbols.

Second Strip (Make 2): Mark the 11th vertical bar on 2nd row at lower right-hand corner with a pin for starting point ◆ on chart 2 on page 16. Starting at A, follow chart from A to B 12 times.

Sew strips together neatly, alternating First and Second Strips.

BORDER . . . 1st rnd: With right side facing, attach Dk. Gold at top right-hand corner; make 3 sc in same corner, sc in each st across to within next corner, 3 sc in corner; * insert hook in vertical bar at end of next row and the st directly behind it and make an sc. Repeat from * across to next corner, 3 sc in corner; sc in each st across to within next corner, 3 sc in corner; sc along remaining edge as before. Join with sl st to first sc. **2nd, 3rd and 4th rnds:** Ch 1; working in **back** loops only, sc in joining and in each sc around, making 3 sc in each corner sc. Join. At end of 4th rnd, turn. **5th rnd:** Working through **both** loops, sl st in each sc around. Join, break off and fasten.

Press through a damp cloth.

Child's Slipper-Boots

B-518 *Continued from page 7*

(8th, 9th) bar and in the chain st following the 24th (24th, 27th) bar. Work 1 row even. **Following row—First Half:** Work across, decreasing 1 loop before and after the chain st in line with the marked chain sts. Repeat last row until 16 loops remain. Remove the 2 inner markers. **Next row:** Sl st in 2nd bar and in each bar across. Leaving a 10-inch strand for sewing, break off. Sew up toe opening and center front seam to markers. Remove markers.

Edging: With right side of work facing and working along top edge, attach contrasting color to first bar made on first row, insert hook in same bar and in the st directly behind it and make an sc, * yarn over, insert hook under 2nd bar of next row and complete a dc, skip the first bar on same row behind the dc just made, sc in the first bar of next row as before. Repeat from * across to the seam; now work along opposite side to correspond with first side, making the first st same as last st made on first side. Break off and fasten. Sew up back seam neatly.

B-523 *Jaunty Jacket*

Basic afghan stitch with cable twist and set-in raglan sleeves. Try a swatch of the cable pattern before beginning garment.

COATS & CLARK'S "RED HEART" SAYELLE,* 4 Ply ("Tangle-Proof" Pull-Out Skeins):

Sizes		**10**	**12**	**14**	**16**	**18**	**20**
No. 330 Sandstone	**Ounces**	**16**	**17**	**19**	**20**	**22**	**24**

Afghan Hook Size J.

GAUGE: 4 sts = 1 inch; 7 rows = 2 inches.

BLOCKING MEASUREMENTS: **Sizes**	**10**	**12**	**14**	**16**	**18**	**20**
Body Bust Size (In Inches)	30	32	34	36	38	40
Actual Crocheting Measurements						
Bust	33	35	37	39	41	43
Width across back at underarm	16½	17½	18½	19½	20½	21½
Width across each front at underarm	8¾	9¼	9¾	10¼	10¾	11¼
Length from back of neck to lower edge	22	23½	24½	25¼	26	26½
Length of side seam	13	14	14½	15	15	15
Length of sleeve seam	14	14½	15	15	15½	15½
Width across sleeve at upper arm	13	13½	14	14½	15	15½
BACK . . . Starting at lower edge, ch **Stitches**	66	70	74	78	82	86
to measure **Inches**	16½	17½	18½	19½	20½	21½

1st row: Work first row of Afghan Stitch on page 2. **2nd row—First Half of Row:** Retaining all loops on hook, skip first vertical bar; * *insert hook through center of next st below the chain and draw a loop through (Fig. 5 on page 34)*—**afghan knit st made.** Repeat from * across to within last vertical bar; insert hook through last vertical bar and the st directly behind it (arrow on Fig. 4 on page 2) and draw up a loop (this gives a firm edge to this side).

There are on hook **Loops**	66	70	74	78	82	86

Second Half of Row: Repeat Second Half of first row.

Hereafter, only the First Half of each row is given. Work Second Half of each row as for Second Half of first row unless otherwise stated.

Repeat 2nd row 3 times more for Border. Now work in afghan stitch, starting with 2nd row on page 2, until total length is **Inches**

	13	14	14½	15	15	15
Armhole Shaping: 1st row—First Half: *Skip first bar, sl st loosely in next* **Bars**	4	4	5	5	6	6

Continued on page 20

B-523 *Continued from page 18*

SIZES	10	12	14	16	18	20
There are.....**Loops**	4	4	5	5	6	6

bound off at beg of row; *bring yarn forward and hold in front of work, insert hook in next bar and draw loop through (Fig. 6 on page 34)*—**afghan purl st made;** make 4 k sts for cable panel, p 1, work in afghan stitch across to within last.....**Bars** 11 11 12 12 13 13

p 1, k 4, p 1, draw loop through next bar, *do not work in remaining*.....**Bars** 4 4 5 5 6 6

There are.....**Loops** 4 4 5 5 6 6

bound off at end of row. There are on hook.....**Loops** 58 62 64 68 70 74

2nd row—First Half: Skip first bar, p 1, k 4, p 1, work in afghan stitch across to within last 7 bars, p 1, k 4, p 1, draw up a loop in last bar as before. **3rd row—First Half:** Skip first bar, p 1, k 4, p 1, *insert hook through next 2 bars and draw one loop through*—**1 loop decreased;** work in afghan stitch across to within last 9 bars, dec 1 loop over next 2 bars, p 1, k 4, p 1, draw up a loop in last bar. There are 2 loops less on hook than on last row. **4th row—First Half:** Repeat First Half of 2nd row. **Second Half:** Yarn over and draw through 1 loop, yarn over and draw through 2 loops; **twist cable over next 4 loops as follows:** *slip hook out of the last loop made and the next 4 k loops; holding the first 2 loops of cable panel in front of work, slip onto hook the second 2 loops, then the first 2 loops, then the last loop made (Fig. 7 on page 34);* work off loops as before until 7 loops remain on hook, twist cable over next 4 k loops and complete the row. **5th row:** Repeat 3rd row.

Twisting the cables on the 8th row and every 4th row thereafter, repeat 2nd and 3rd rows alternately.....**Times More** 9 9 11 11 13 12

Continuing to twist cables, repeat 3rd row until there remain on hook for back of neck.....**Loops** 20 22 24 26 28 28

Complete Second Half of row. **Next row:** Skip first bar, sl st loosely in each bar across. Break off and fasten.

LEFT FRONT . . . Starting at lower edge, ch.....**Stitches** 35 37 39 41 43 45

to measure.....**Inches** 8¾ 9¼ 9¾ 10¼ 10¾ 11¼

1st row: Repeat first row of Back. **2nd row—First Half:** Skip first bar, make an afghan k st in each bar across to within last 7 bars, p 1, k 4 for cable, p 1, draw up a loop in next bar. Repeat 2nd row 3 times more. Now work as follows: **1st row—First Half:** Work afghan stitch to within last 7 bars, p 1, k 4, p 1, draw up a loop in next bar. **Second Half:** Twisting the cable, work same as for Second Half of previous row. Continuing to twist cable on every 4th row as before, repeat last row until there are the same number of rows as on Back below armhole shaping.

Armhole Shaping: 1st row—First Half: Bind off....**Loops** 4 4 5 5 6 6

p 1, k 4, p 1, work across in pattern as established. There are on hook.....**Loops** 31 33 34 36 37 39

Cable panel at armhole edge is established. **2nd row:** Work in pattern. Continuing to work in pattern, dec 1 loop following the 2nd p st on next row and every other row until there are on hook **Loops** 22 24 25 27 28 30

Neck Shaping: 1st row—First Half: Work across to within last 9 bars, dec 1 loop and complete the row. Keeping in pattern, continue to dec 1 loop next to armhole border every other row.....**Times More** 2 2 4 4 6 5

Continued on page 21

B-523 *Continued from page 20*	**SIZES**	**10**	**12**	**14**	**16**	**18**	**20**
AT THE SAME TIME							
dec 1 loop preceding the front border every	**Row**	3rd	2nd	2nd	2nd	2nd	2nd
until there are on hook	**Loops**	18	20	17	19	16	20
Continuing to dec 1 loop preceding neck border every	**Row**	3rd	2nd	2nd	2nd	2nd	2nd
dec 1 loop following armhole border on every row until there are 14 loops on hook. **Next row—First Half:** Work in pattern to within last 9 bars, dec 1 loop and complete the row in pattern. Repeat last row until 8 bars remain. Work over these 8 bars in pattern for	**Inches**	2½	2¾	3	3¼	3½	3½

Following row: Skip first bar, sl st in next 7 bars. Break off and fasten.

RIGHT FRONT . . . Work as for Left Front until first row is completed. **2nd row—First Half:** Skip first bar, p 1, k 4 for cable, p 1, k across remaining sts. Twisting cable on every 4th row as before, and keeping continuity of pattern, work as for Left Front until the same number of rows have been completed to armhole.

Armhole Shaping: 1st row—First Half: Work in pattern to within last	**Bars**	11	11	12	12	13	13

p 1, k 4 for cable, p 1, k 1. Do not work in remaining bars. Complete as for Left Front, reversing shapings.

SLEEVES . . . Starting at lower edge, ch	**Stitches**	30	32	32	34	34	36
Work border as for Back for 5 rows. **Next row—First Half:** Working in afghan stitch, *draw up a loop in the chain st between the first and second bars—an inc made at beg of row;* work across to within last bar, draw up a loop in the chain st preceding the last bar, draw up a loop in the last bar as before—an inc made at end of row. Continuing in afghan stitch, inc 1 loop at both ends of every 4th row until there are on hook	**Loops**	52	54	56	58	60	62
Work even until total length is	**Inches**	14	14½	15	15	15½	15½
Top Shaping: 1st row—First Half: Bind off	**Loops**	4	4	5	5	6	6
draw up a loop in each bar across to within last	**Bars**	4	4	5	5	6	6
do not work in these last bars. There are on hook	**Loops**	44	46	46	48	48	50
Work 1 row even. **3rd row—First Half:** Skip first bar, dec 1 loop, draw up a loop in next bar and in each bar across to within last 3 bars, dec 1 loop, draw up a loop in next bar. There are 2 loops less than on last row. **4th row—First Half:** Draw up a loop in 2nd bar and in each bar across. Repeat 3rd and 4th rows	**Times More**	10	10	12	12	14	13
Now dec 1 loop at both ends of every row until there remain	**Loops**	6	6	6	6	6	4

Last row: Sl st in 2nd bar and in each bar across. Break off and fasten.

Block to measurements. Sew shaped top edges of sleeves neatly to adjacent armhole edges of back and front. Sew ends of neckband together. Sew neckband to back neck edge. Sew side seams. Work 1 row of sc across lower edge of body and sleeves. Sew sleeve seams.

B-524 *Round Pillow*

Basic afghan stitch . . . pillow, worked in variegated or shaded yarn, is shaped by working short rows . . . in color on front cover.

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply (3½ oz. "Tangle-Proof" Pull-Out Skeins): 2 skeins of No. 957 Indian Summer.

Afghan Hook Size J.

Round box pillow, 14 inches in diameter and 2 inches deep.

GAUGE: 4 sts = 1 inch;
3 rows = 1 inch.

FRONT . . . Ch 24 to measure 7 inches. **1st long row—First Half of Row:** Retaining all loops on hook, draw up a loop in 2nd ch from hook and in each ch across (Fig. 1 on page 2). There are the same number of loops on hook as there were ch sts. **Second Half of Row:** Yarn over and draw through 1 loop, * yarn over and draw through 2 loops. Repeat from * across (Fig. 2 on page 2). Ch 1 tightly. *The loop which remains on hook always counts as the first loop of next row (Fig. 3 on page 2).*

Now work short rows as follows: **2nd row—First Half:** Retaining all loops on hook, draw up a loop in 2nd vertical bar (formed by loop of previous row) and in each of next 2 vertical bars—4 loops on hook. **Second Half:** Yarn over and draw through 1 loop, * yarn over and draw through 2 loops. Repeat from * across. Ch 1 tightly. **3rd row—First Half:** Draw up a loop in 2nd bar and in next 2 bars, then draw up a loop in each of next 4 bars on previous long row—8 loops on hook. Complete Second Half of Row as before. Ch 1 tightly. **4th row—First Half:** Draw up a loop in 2nd bar and in each bar of last row, then draw up a loop in each of next 4 bars on previous long row—12 loops on hook. Complete Second Half of Row as before. Ch 1 tightly. **5th and 6th rows:** Work as for 4th row having 4 more loops on First Half of each row than there were on previous row. Ch 1 tightly. There are 20 loops on First Half of 6th row.

Work a long row as follows: **7th row—First Half:** Draw up a loop in 2nd bar and in each bar of last row, then draw up a loop in each of next 3 bars on previous long row; insert hook through last bar and the st directly behind it (arrow on Fig. 4 on page 2) and draw up a loop (this gives a firm edge to this side)—24 loops on hook. Complete Second Half of Row as before. Ch 1 tightly.

Repeat 2nd through 7th row 18 times more; then repeat 2nd through 6th row once more. There are 120 rows. Break off and fasten. Sew last row to starting chain, thus forming a circle. Run yarn through edge of center opening, draw together tightly and fasten. Press through damp cloth.

BACK . . . Work same as Front.

GUSSET . . . Ch 8 to measure 2 inches. Work in afghan stitch over these 8 sts until piece is same length as circumference of Front—120 rows. Break off and fasten. Sew narrow ends together.

With wrong sides facing, pin Front to one edge of Gusset. Working through both thicknesses, sc evenly around. Join with sl st to first sc. Ch 1, turn, then sl st loosely in each sc around. Join. Break off and fasten. Attach Back to opposite edge of Gusset and join in same way, inserting pillow before opening becomes too small.

SQUARE PILLOW B-525 . . . directions on page 24





B-525 *Square Pillow*

Shown on page 23 and cover

basic afghan stitch . . . embroidered with cross stitch

COATS & CLARK'S "RED HEART" KNITTING WORSTED, 4 Ply ("Tangle-Proof" Pull-Out Skeins): 8 ounces of No. 12 Black and 2 ounces of No. 990 Roses; 1 ounce each of No. 356 Taupe and No. 676 Emerald Green.

Afghan Hook Size H.

Milwards Tapestry Needle No. 18.

A 12-inch square box pillow, 2 inches deep.

GAUGE: 9 sts = 2 inches;
4 rows = 1 inch.

FRONT . . . With Black, ch 52 to measure 12 inches. Work in Afghan Stitch (see page 2) for 46 rows. **Next row:** Ch 1, sc in first vertical bar and in each vertical bar across. Break off and fasten. Block to measure 12 inches square.

BACK . . . Work same as for Front.

GUSSET . . . With Black, ch 8. Work in afghan stitch for 48 inches. Break off and fasten. Block.

EMBROIDERY . . . With a pin, mark the 13th vertical bar on 4th row at lower right-hand corner of Front for A on chart. Starting at A on chart and making the cross sts over vertical bars (see diagram on page 2), follow chart, working colors as indicated by symbols.

Pin gusset around the 4 sides of the front. With right side of front facing and working through both thicknesses, sc closely around the 4 sides. Join and turn. Sl st in each sc around. Break off and fasten. Crochet gusset to back same as front, inserting pillow while joining. Sew narrow ends of gusset together.



EACH CHART SQUARE REPRESENTS A VERTICAL BAR

■ TAUPE ▣ EMERALD GREEN ▩ ROSES

TODDLER'S DRESS B-526 . . . directions on page 26

B-526 *Toddler's Dress* Shown on page 25

Top and sleeves in basic afghan stitch;
skirt in afghan cross stitch. Try a swatch of
the cross stitch pattern before working garment.

Directions are given for Size 2. Changes for Sizes 3 and 4 are in parentheses.

COATS & CLARK'S "RED HEART" BABY WOOL, 3 Ply ("Tangle-Proof" Pull-Out Skeins): 5 (6, 6) ounces of No. 723 Baby Pink.

Afghan Hook Size H.

4 snap fasteners.

Matching elastic thread.

GAUGE: Afghan Stitch:
11 sts = 2 inches;
9 rows = 2 inches.
Pattern Stitch:
6 sts = 1 inch;
9 rows = 2 inches.

BLOCKING MEASUREMENTS:

Sizes	2	3	4
Chest	21½	23	24½
Width across back or front at underarm	10¾	11½	12¼
Width across front above armhole shaping	8½	9	9½
Length from shoulder to lower edge	15	16	17
Length of sleeve seam	2	2½	3
Width around lower edge	39½	42	44¾

BACK . . . BODICE: Starting at waist, ch 60 (64, 68) to measure 10¾ (11½, 12¼) inches, having 11 ch to 2 inches. Work in Afghan Stitch (see page 2) for 2¼ (2½, 2¾) inches.

Hereafter, only the First Half of each row is given. Work Second Half of each row as for Second Half of 2nd row.

Armhole Shaping: 1st row—First Half of Row: *Skip first vertical bar, sl st loosely in next 3 (4, 4) vertical bars*—**3 (4, 4) loops bound off at beg of row;** draw up a loop in each vertical bar across to within last 3 (4, 4) vertical bars; *do not work in these bars*—**3 (4, 4) loops bound off at end of row.** There are 54 (56, 60) loops on hook. **2nd row—First Half:** *Insert hook under 2nd and 3rd bars and draw up one loop*—**1 loop decreased;** draw up a loop in each bar across to within last 3 bars, dec 1 loop over next 2 bars, draw up a loop in last bar. Repeat 2nd row 2 (2, 3) times more. There are 48 (50, 52) loops on hook on last row.

Neck Opening: 1st row—First Half: Skip first bar, draw up a loop in each of the next 23 (24, 25) bars; do **not** work in remaining bars. There are 24 (25, 26) loops on hook. Work even over this set of sts only until length from first row of armhole shaping is 4½ (5, 5½) inches.

Shoulder Shaping: 1st row—First Half: Bind off 6 loops at beg of row, complete row. Repeat first row once more. Break off and fasten. Attach yarn to next free bar at neck opening and complete other side to correspond, reversing shoulder shaping.

SKIRT . . . With right side facing and working along opposite side of starting chain, attach yarn to first ch and work as follows: **1st row—First Half:** Retaining all loops on hook, draw up a loop in each of the first 2 bars, * draw up a loop in ch st between last bar used and next bar, draw up a loop in next bar. Repeat from * across. There are 118 (126, 134) loops on hook. **2nd row—First Half:** Retaining all

Continued on page 27

B-526 *Continued from page 26*

loops on hook, skip the first 2 bars, draw up a loop in 3rd bar, draw up a loop in 2nd skipped bar, * *skip next bar, draw up a loop in next bar, draw up a loop in skipped bar*—**cross st made.** Repeat from * across to within last bar, draw up a loop in last bar. Repeat last row until skirt measures 8 (8¼, 8½) inches, or length desired.

Edging: Ch 1, insert hook under 2nd and 3rd bars, draw up a loop, yarn over and draw through both loops on hook, * insert hook under next 2 bars, draw up a loop, yarn over and draw through both loops on hook, yarn over, insert hook under **same** 2 bars, draw up a loop, yarn over and draw through all 3 loops on hook, insert hook under **same** 2 bars, draw up a loop, yarn over and draw through both loops on hook, insert hook under next 2 bars, draw up a loop, yarn over and draw through both loops on hook. Repeat from * across to within last bar, draw up a loop in last bar, yarn over and draw through all loops on hook. Break off and fasten.

FRONT . . . BODICE: Work same as Back until armhole shaping has been completed. Omitting neck opening, work even until length from first row of armhole shaping is 2¾ (3, 3¼) inches.

Neck Shaping: 1st row—First Half: Skip first bar, work across until there are 15 loops on hook; do not work in remaining bars. **2nd row—First Half:** Work across, decreasing 1 loop at neck edge. Repeat 2nd row twice more. Work even on 12 sts until length from first row of armhole shaping is 4½ (5, 5½) inches.

Shoulder Shaping: 1st row—First Half: Bind off 6 loops, work across. Complete Second Half of row. Break off and fasten.

Skip the center 18 (20, 22) bars. **1st row—First Half:** Attach yarn to next bar, draw up a loop in same bar and in each remaining bar across. Reversing shapings, complete Neck and Shoulder Shaping to correspond with other side.

SKIRT . . . Work same as Back Skirt, including edging.

SLEEVES . . . Starting at lower edge, ch 38 (40, 42). Work 2 rows of afghan stitch.

Next row—First Half: Draw up a loop in 2nd bar, * *draw up a loop in chain st between last bar used and next bar*—**1 loop increased;** draw up a loop in each of the next 2 bars. Repeat from * across, increasing one loop more between last 2 bars *for Size 3 only*. There are 56 (60, 62) loops on hook. Work even in afghan stitch until total length is 1¾ (2¼, 2¾) inches.

Top Shaping: 1st row—First Half: Bind off 3 (4, 4) loops at beg of row, work across to within last 3 (4, 4) bars, do not work in remaining bars. Dec 1 loop at both ends on First Half of next and every other row thereafter until 36 (38, 40) loops remain on hook, ending with a decrease row. Dec 1 loop at both ends on First Half of next 3 rows. Complete Second Half of last row. Break off and fasten.

Sleeve Edging: With right side facing and working across first row of bars, work as for Skirt Edging.

Neck Edging: Sew shoulder seams. With right side facing, attach yarn at left neck opening. **1st row—First Half:** Draw up a loop in each of the 12 (13, 14) bars of back of neck; draw up a loop in each of the 8 (9, 10) end sts along left neck edge; draw up a loop in each of the 18 (20, 22) bars of front neck edge; draw up a loop in each of the 8 (9, 10) end sts along right neck edge; draw up a loop in each of the 12 (13, 14) bars of back of neck. There are 58 (64, 70) loops on hook. Complete Second Half of row. **2nd row:** Work as for Skirt Edging. Break off and fasten.

Back Opening Edging: With right side facing, attach yarn in corner of right back opening, * sc in next end st, skip next end st, in next end st make sc, h dc and sc, skip next end st. Repeat from * across entire back opening. Break off and fasten.

Block to measurements. Sew side and sleeve seams. Sew in sleeves, gathering top edge to fit. Run double elastic thread through lower edges of sleeves, above edging, and through first row of bodice at waist, holding in to desired size. Sew snap fasteners evenly spaced along back neck opening. If desired, embroider flowers on front of bodice as shown.

B-527 *Man's Raglan Cardigan*

Pattern is made by working knit and purl afghan stitches; be sure to try a swatch before beginning garment . . . Set-in sleeves.

COATS & CLARK'S "RED HEART" SAYELLE,* 4 Ply ("Tangle-Proof" Pull-Out Skeins):

Sizes	38	40	42	44	46
No. 403 Lt. Oxford					
Ounces	29	31	32	34	35

Afghan Hook Size I, 14-inch length.

6 buttons.

GAUGE: 4 sts = 1 inch; 4 rows = 1 inch.

BLOCKING MEASUREMENTS:

Sizes	38	40	42	44	46
Body Chest Size (In Inches)	38	40	42	44	46
Actual Crocheting Measurements					
Chest	42	44	46	48	50
Width across back at underarm	21	22	23	24	25
Width across each front at underarm (including band)	11½	12	12½	13	13½
Length from back of neck to lower edge	24½	25	26	26½	27
Length of side seam	16	16½	16½	17	17
Length of sleeve seam	18	18	18½	18½	18½
Width across sleeve at upper arm	16½	17	17½	18	18½

BACK . . . Starting at lower edge of border, ch

Stitches	85	89	93	97	101
to measure					
Inches	21	22	23	24	25

Work in Afghan Stitch (see page 2) for 2 inches. Now work afghan moss st pattern as follows: **1st row—First Half of Row:** Retaining all loops on hook, skip first vertical bar, * *insert hook through center of next st below the chain and draw a loop through (Fig. 5 on page 34)*—**afghan knit st made;** *bring yarn forward and hold in front of work, insert hook under next vertical bar and draw loop through (Fig. 6 on page 34)*—**afghan purl st made.** Repeat from * across, drawing up a loop in last bar as before. Complete Second Half of row as before.

Hereafter only the First Half of each row is given. Work Second Half of each row as for Second Half of first row of afghan stitch border.

2nd row—First Half: Skip first bar, * p 1, k 1. Repeat from * across, drawing up last loop as before. Repeat first and 2nd rows alternately for pattern. Work in pattern until total length is

Inches	16	16½	16½	17	17

Armhole Shaping: 1st row—First Half: Skip first bar, sl st loosely in next

Bars	4	4	4	5	5
There are					
Loops	4	4	4	5	5

bound off at beg of row; keeping continuity of pattern, work across to within last

Bars	4	4	4	5	5

do not work in these bars. **There are**

Loops	4	4	4	5	5

bound off at end of row. There are on hook

Loops	77	81	85	87	91

2nd row—First Half: Work across in pattern. **3rd row—First Half:** *Insert hook under 2nd and 3rd bars and draw up one loop*—**1 loop decreased at beg of row;** continue in pattern across to within last 2 bars, *insert hook under these last 2 bars and draw up one loop*—**1 loop decreased at end of row.** There are 2 loops less on hook than on last row. Repeat last 2 rows

Times More	5	3	4	5	5

Now dec one loop at both ends of every row until there remain

Loops	25	25	25	27	27

Complete Second Half of row. Break off and fasten.

Continued on page 33



B-528 *Afghan-Stitch Dress*

A straight shift to wear belted or loose. Worked in basic afghan stitch, it is quick and easy to make.

Directions are given for Small Size. Changes for Medium and Large Sizes are in parentheses.

COATS & CLARK'S "RED HEART" SAYELLE,* 4 Ply ("Tangle-Proof" Pull-Out Skeins): 23 (27, 31) ounces of No. 909 Scarlet.

COATS & CLARK'S NECK OPENING ZIPPER, 4 inch length.

Afghan Hook Size J.

1 hook and eye.

GAUGE: 7 sts = 2 inches; 3 rows = 1 inch.

BLOCKING MEASUREMENTS:

Sizes	Small (10-12)	Medium (14-16)	Large (18-20)
Body Bust Size (In Inches)	30-32	34-36	38-40
Actual Crocheting Measurements			
Bust	36	40	44
Width across back or front at underarm	18	20	22
Width across back above armhole shaping	13½	14½	15½
Width across back or front at hips	18	20	22
Length from shoulder to lower edge	40	41	42
Length of side seam	33	33	33
Length of sleeve seam	4	4½	5
Width across sleeve at upper arm	12½	13½	14½

BACK . . . Starting at lower edge, ch 64 (70, 76) to measure 18 (20, 22) inches. Work in Afghan Stitch (see page 2) over these 64 (70, 76) sts until total length is 33 inches for all sizes.

Hereafter, only the First Half of each row is given. Work Second Half of each row as for Second Half of First Row.

Armhole Shaping: 1st row—First Half of Row: *Skip first bar, sl st loosely in next 3 bars* **—3 sts decreased at beg of row;** work across to within last 3 bars, *do not work in these last 3 bars*—**3 sts decreased at end of row.** There are 58 (64, 70) loops on hook. **2nd row—First Half:** Skip first bar, *insert hook under 2nd and 3rd bars and draw up one loop*—**1 loop decreased at beg of row;** work across to within last 3 bars, dec 1 loop over next 2 bars, work last loop as before—1 loop decreased at end of row. There are 2 loops less than on First Half of last row. Repeat 2nd row 4 (6, 7) times more. Work even over remaining 48 (50, 54) sts until length is 3 (4, 5) inches from first row of armhole shaping.

Right Back: Work even across first 24 (25, 27) sts only, until length is 7 (8, 9) inches from first row of armhole shaping.

Shoulder Shaping: 1st and 2nd rows—First Half: Skip first bar, sl st loosely in next 5 (5, 6) bars, draw up a loop in each remaining bar. **3rd row—First Half:** Skip first bar, sl st loosely in next 6 (6, 5) bars, draw up a loop in each remaining bar. There remain 8 (9, 10) sts for half of back of neck. **Last row:** Sl st loosely in each bar across. Break off and fasten.

Left Back: Attach yarn in chain between last bar used on first row of Right Back and next bar. Work even over remaining 24 (25, 27) sts until length is 7 (8, 9) inches from first row of armhole shaping.

Continued on page 32



B-528 *Continued from page 30*

Shoulder Shaping: 1st and 2nd rows—First Half: Draw up a loop in each bar across to within last 5 (5, 6) bars, do not work in these last bars. There are 14 (15, 15) loops on hook on 2nd row. **3rd row—First Half:** Draw up a loop in each bar across to within last 6 (6, 5) bars. There remain 8 (9, 10) sts. **Last row:** Sl st loosely in each bar across. Break off and fasten.

FRONT . . . Work same as Back until Armhole Shaping is completed. Work even over remaining 48 (50, 54) sts until length is 5 (6, 7) inches from first row of armhole shaping.

Left Front: 1st row—First Half: Draw up a loop in each bar until there are 19 (19, 20) loops on hook. **Next 3 rows—First Half:** Work across to within last 3 bars, dec 1 loop over next 2 bars, work last loop as before—one loop decreased at neck edge. Work even over remaining 16 (16, 17) sts until length is 7 (8, 9) inches from first row of armhole shaping.

Shoulder Shaping: 1st and 2nd rows: Work same as first and 2nd rows of Right Back Shoulder Shaping. Break off and fasten.

Right Front: 1st row—First Half: Skip next 10 (12, 14) bars for front of neck, attach yarn in chain between last bar skipped and next bar, draw up a loop in each of remaining 19 (19, 20) bars. **Next 3 rows—First Half:** Skip first bar, dec 1 loop over next 2 bars—one loop decreased at neck edge; draw up a loop in each remaining bar. Work even over remaining 16 (16, 17) sts until length is 7 (8, 9) inches from first row of armhole shaping.

Shoulder Shaping: 1st and 2nd rows: Work same as first and 2nd rows of Left Back Shoulder Shaping. Break off and fasten.

SLEEVES . . . Starting at lower edge ch 38 (41, 44) to measure 11 (12, 13) inches. Work same as Back for 1 inch. **Next row—First Half:** Insert hook between first and 2nd bars and draw one loop through—1 loop increased at beg of row; draw up a loop in 2nd bar and in each bar across to within last bar, draw up one loop between last 2 bars, work last st as before—1 loop increased at end of row. Work 2 rows even. Repeat last 3 rows twice more—44 (47, 50) loops on hook on First Half of last row. Work even, if necessary, until total length is 4 (4½, 5) inches.

Top Shaping: Work same as Back Armhole Shaping until 28 (27, 28) loops remain on hook on First Half of row. **Next row:** Work even. **Following row—First Half:** Decreasing 1 loop at both ends of row, work across. Repeat last 2 rows 3 times—20 (19, 20) loops on hook. Dec 1 loop at both ends of each of the next 3 rows—14 (13, 14) loops on hook. **Last row:** Sl st loosely in each bar across. Break off and fasten.

COLLAR PIECE (Make 2) . . . Starting at narrow end, ch 9. Work in Afghan Stitch over these 9 sts for 2 rows. **3rd row—First Half:** Retaining all loops on hook, draw up a loop in 2nd bar and in next 3 bars—5 loops on hook. At end of Second Half of row, ch 1 tightly. **4th row—First Half:** Draw up a loop in 2nd bar and in next 3 bars, draw up a loop in next 3 bars of last long row, work last loop as before (neck edge)—9 loops on hook. **5th row—First Half:** Draw up a loop in 2nd bar and in next 6 bars, work last loop as before—9 loops on hook. Repeat last 3 rows 10 (11, 12) times more. **Last row:** Sl st loosely in each bar across. Break off and fasten.

Collar Edging: 1st row: With right side facing, attach yarn in the end st of first row at neck edge; ch 1, working along opposite side of starting chain, sc in each bar across, 3 sc in corner, sc evenly along outer edge, 3 sc in corner, sc evenly across other narrow edge. Ch 1, turn. **2nd row:** Sl st loosely in each sc. Break off and fasten. Work edging on both collar pieces.

Block to measurements. Sew side, shoulder and sleeve seams. Sew in sleeves.

Sleeve Edging: With right side facing, attach yarn at sleeve seam, * insert hook under next bar and through the chain behind it and draw loop through, complete an sc. Repeat from * around. Join with sl st in first sc. Break off and fasten.

Work edging around lower edge of dress same as sleeve edging. Work sc evenly along back opening. Sew Collar pieces in place. Sew in zipper. Sew hook and eye to back neck edge.

B-527 *Continued from page 28*

Sizes	38	40	42	44	46

POCKET LINING (Make 2) . . . Starting at lower edge, ch
Stitches 18 18 18 19 19
Work same as for Back Border until piece measures 4½ inches. Break off and fasten.

RIGHT FRONT . . . Starting at lower edge of border, ch
Stitches 46 48 50 52 54
to measure
Inches 11½ 12 12½ 13 13½
Work same as for Back until piece measures 2 inches. Now work as follows: **1st row—First Half:** Work first 6 sts in afghan st and remaining
Stitches 40 42 44 46 48
in afghan moss st. Repeat first row until total length is 5 inches. **Next row—First Half:** Work as before until there are on hook
Loops 16 17 18 19 20
work afghan stitch for pocket border across next
Bars 18 18 18 19 19
work afghan moss st across remaining
Bars 12 13 14 14 15
Repeat last row 3 times more.
Pocket Opening: Next row—First Half: Work as before until there are on hook
Loops 16 17 18 19 20
work afghan moss st across sts of one pocket lining, skip next
Bars 18 18 18 19 19
of Front, work afghan moss st across remaining
Bars 12 13 14 14 15
Keeping first 6 sts in afghan stitch and remaining
Stitches 40 42 44 46 48
in afghan moss st as before, work even until total length is
Inches 16 16½ 16½ 17 17

Armhole and Neck Shaping: 1st row—First Half: Work as before to within last
Bars 4 4 4 5 5
Do not work in these bars. **2nd row—First Half:** Work across in pattern as established. **3rd row—First Half:** Work until there are 5 loops on hook, dec 1 loop over next 2 bars—a dec made next to button band; work in pattern across, decreasing 1 loop at end of row. **4th row:** Repeat 2nd row. Keeping continuity of pattern, dec 1 loop at armhole edge on next row and every other row thereafter
Times More 5 3 4 5 5

AT THE SAME TIME

dec 1 loop next to button band on every 3rd row. Continuing to dec 1 loop next to button band as before, dec 1 loop at armhole edge on every row until there remain
Stitches 9 9 12 10 12
Keeping neck edge even, continue to dec at armhole edge as before until 6 sts remain. Work even over these 6 sts for back neckband for
Inches 2¾ 2¾ 2¾ 3 3
Next row: Skip first bar, sl st in next 5 bars. Break off and fasten.

With pins mark position of 6 buttons evenly spaced on button band, having the first pin 1½ inches up from lower edge and the last pin ½ inch down from first dec next to button band. **To make a buttonhole—First Half of Row:** *Work across to within last 5 bars, sl st in next 4 bars, draw up a loop in last bar as before.* **Second Half of Row:** *Yarn over and draw through 1 loop, yarn over and draw through 2 loops, ch 3, * yarn over and draw through 2 loops. Repeat from * across.* **Next row—First Half:** *Work across to within the ch-3, draw up a loop in each of next 3 ch and in next 2 bars.* Complete Second Half of row.

LEFT FRONT . . . Work as for Right Front until piece measures 2 inches, making first buttonhole opposite first pin. **Next row—First Half:** Work in afghan moss st to within last 6 sts, work across these sts in afghan stitch as before. Keeping buttonhole band in afghan stitch and making a buttonhole opposite each pin, work in pattern until total length is 5 inches. **Following row—First Half:** Work as before until there are on hook
Loops 12 13 14 14 15
work afghan stitch for pocket border across next
Bars 18 18 18 19 19
and complete the row in pattern as established. Repeat last row 3 times more.
Continued on page 34

B-527 *Continued from page 33*

Pocket Opening: Next row—First Half: Work as before until there are on hook
Loops 12 13 14 14 15
work afghan moss st across sts of one pocket lining, skip next
Bars 18 18 18 19 19
of Front, and complete the row. Continue to work in pattern, making a buttonhole opposite each pin, until total length is
Inches 16 16½ 16½ 17 17

Armhole and Neck Shaping: 1st row—First Half: Skip first bar, sl st loosely in next
Bars 4 4 4 5 5
complete the row. **2nd row:** Work in pattern. **3rd row—First Half:** Dec 1 loop at beg of row, work across to within last 7 bars, dec 1 loop (1 loop decreased next to buttonhole band), draw up a loop in last 5 bars. Complete as for Right Front, reversing shapings.

SLEEVES . . . Starting at lower edge, ch
Stitches 35 39 39 41 41
Work in afghan stitch for 3 inches, increasing 8 loops evenly spaced on First Half of last row—**to inc 1 loop,** *draw up a loop in the chain st between the vertical bars.* There are on row
Loops 43 47 47 49 49
Work in afghan moss st pattern, increasing one loop at both ends on First Half of every 4th row until there are on hook
Loops 65 67 69 71 75
(be careful to work the increased sts in pattern). Work even until total length is
Inches 18 18 18½ 18½ 18½

Top Shaping: Work same as for Armhole Shaping of Back until there remain on First Half of row
Loops 5 3 1 1 1
Complete Second Half of row. Break off and fasten.

Block to measurements. Sew side and sleeve seams. Sew in sleeves. Sew pocket linings in place. Sew narrow edges of neckband together; sew neckband to neck edge. With right side facing, sl st in each vertical bar across top edge of pockets. With right side facing and working along opposite side of starting chains, work 1 row of sc across lower edge of cardigan. Work 1 rnd of sc around lower edge of each sleeve. Sew on buttons.



FIGURE 5



FIGURE 6



FIGURE 7

abbreviations

st(s) . . . . . stitch(es)	**dc** . . . . . double crochet	**k** . . . . . knit
ch . . . . . chain	**dec** . . . . . decrease	**p** . . . . . purl
sc . . . . . single crochet	**inc** . . . . . increase	**sl st** . . . . . slip stitch
h dc . . . . . half double crochet	**beg** . . . . . beginning	**sp** . . . . . space
	rnd . . . . . round	**sl** . . . . . slip

* (asterisk) . . . Repeat the instructions following the asterisk as many times as specified. Repeat instructions in parentheses as many times as indicated. For example: **"(Ch 5, sc in next sc) 5 times"** means to make all that is in parentheses 5 times in all.

FOR OVER 150 YEARS OUR BUSINESS HAS BEEN

QUALITY

We at COATS & CLARK are proud of our reputation for Quality . . . nevertheless, we never stop trying to improve our products.

For instance, before our sewing thread is allowed to reach the customer, it must pass through 31 individual quality check points which include extensive sampling of all finished thread for strength and appearance.

All of our other products—crochet cottons, embroidery threads, hand-knitting yarns and zippers—are subjected to equally stringent quality control checking at each stage of production.

Our reputation for Quality is upheld by this constant attention to the most minute details, by millions of dollars spent on Research and Development, and most of all, by our earnest endeavor to make only one kind of product—the best!

DEPEND ON...

COATS & CLARK

COATS & CLARK'S BOOK No. 162 29¢

Afghan-Stitch Designs

Featuring RED HEART *Yarns*